

# Adult Tobacco Survey 1

## Fall 2000 Survey Results

*Washington State*

**First, I have some questions about your health. Would you say that in general your health is. . .**

n = 9595

Excellent	27.8%	(± 1.4%)
Very good	38.6	(± 1.6)
Good	23.6	(± 1.3)
Fair	7.1	(± 0.8)
Or poor	2.9	(± 0.5)

**During the past 3 months, on how many days did you stay in bed for more than half the day because of illness or injury?**

n = 9491

None	82.8%	(± 1.2%)
One day	5.9	(± 0.7)
More than one day	11.2	(± 1.1)

**About how long has it been since you last visited a DOCTOR for a routine checkup?**

n = 9519

Within the past year (1-12 months ago)	76.1%	(± 1.4%)
Within the past two years (1-2 years ago)	12.2	(± 1.1)
More than two years ago	11.5	(± 1.1)
Never	0.2	(± 0.1)

**About how long has it been since you last visited a DENTIST for a routine checkup?**

n = 9499

Within the past year (1-12 months ago)	72.7%	(± 1.4%)
Within the past two years (1-2 years ago)	10.3	(± 1.0)
More than 2 years ago	16.8	(± 1.2)
Never	0.2	(± 0.1)

**Next are a few questions about your health care coverage. Do you have any kind of health care coverage, including health insurance, prepaid plans such as an HMO, or government plans such as Medicare?**

n = 9573

Yes	88.5%	(± 1.0%)
No	11.5	(± 1.0)

\* Estimates based on sample sizes less than 75 omitted

***Among those with health care coverage:***

**What type of health coverage do you use to pay for most of your medical care? Is it coverage through. . .**

n = 8382

Your employer	50.0%	(± 1.7%)
Someone else's employer	15.3	(± 1.2)
A plan that you or someone buys on your own	10.7	(± 1.0)
Medicare	15.7	(± 1.1)
Medicaid or Medical Assistance	3.9	(± 0.6)
Other	4.4	(± 0.7)

***Are you currently. . .***

n = 9597

Employed for wages	56.5%	(± 1.6%)
Self-employed	8.0	(± 0.8)
Out of work	3.8	(± 0.6)
Homemaker	7.1	(± 0.8)
Student	3.7	(± 0.7)
Retired	18.4	(± 1.2)
Or unable to work	2.4	(± 0.5)

**Now, I would like to ask you some questions about your personal history of tobacco use. Have you smoked at least 100 cigarettes in your entire life? NOTE: 5 Packs = 100 cigarettes**

n = 9570

Yes	46.7%	(± 1.6%)
No	53.3	(± 1.6)

***Among those who ever smoked 100 cigarettes:***

**Do you now smoke cigarettes every day, some days or not at all?**

n = 4597

Every day	33.3%	(± 2.3%)
Some days	7.1	(± 1.3)
Not at all	59.6	(± 2.3)

***Among every day smokers:***

**On average, about how many cigarettes per day do you smoke? NOTE: 1 PACK = 20 CIGARETTES**

n = 1423

**average:** 17.6 (± 0.9)

**Current cigarette smoking prevalence:**

n = 9569

(every day or some day smokers among the whole population)	18.9%	(± 1.3%)
--	-------	----------

***Among some day smokers:***

**On average, when you smoked during the past 30 days, about how many cigarettes did you smoke per day? NOTE: 1 PACK = 20 CIGARETTES**

n = 318

**average:** 4.6 (± 0.6)

***Among those who ever smoked 100 cigarettes:***

**How old were you when you first tried smoking cigarettes?**

n = 4544

**average:** 15.7 (± 0.2)

\* Estimates based on sample sizes less than 75 omitted

***Among those who ever smoked 100 cigarettes:***

How old were you when you first started smoking cigarettes fairly regularly? n = 4333  
average: 18.4 (± 0.2)

***Among current smokers:***

What brand of cigarette do you smoke most often? n = 1761  
Camel 14.9% (± 2.6%)  
Marlboro 36.6 (± 3.8)  
Other 48.4 (± 3.9)

***Among current smokers:***

Is this brand menthol? n = 1705  
Yes 15.3% (± 2.9%)  
No 84.7 (± 2.9)

***Among current smokers:***

Are you currently smoking a brand with lower levels of nicotine or tar? n = 1637  
Yes 55.4% (± 4.0%)  
No 44.6 (± 4.0)

This next question asks about smokeless tobacco. Have you ever tried using smokeless tobacco, like chew, dip or snuff? IF NEEDED: Such as Copenhagen, Kodiak, Redman or Beechnut

n = 9618  
Yes 22.2% (± 1.4%)  
No 77.8 (± 1.4)

***Among those who ever used smokeless tobacco:***

On how many of the past 30 days did you use smokeless tobacco products? n = 1837  
Zero 82.9% (± 2.9%)  
Less than 30 7.8 (± 2.1)  
30 days 9.3 (± 2.2)

**Current smokeless tobacco prevalence:**

(any use in the past 30 days among the whole population) n = 9622  
3.8% (± 0.7%)

**What about cigar smoking, including large cigars, cigarillos, and little cigars. How many cigars have you smoked in your life?**

n = 9557  
None 62.2% (± 1.6%)  
One 5.7 (± 0.7)  
2-5 10.2 (± 1.0)  
6-20 10.4 (± 1.1)  
More than 20 11.6 (± 1.1)

***Among those who ever smoked a cigar:***

On how many of the past 30 days did you smoke a cigar, even just a puff? n = 3156  
Zero 88.3% (± 1.9%)  
Less than 30 11.0 (± 1.9)  
30 days 0.7 (± 0.5)

\* Estimates based on sample sizes less than 75 omitted

<b>Current cigar smoking prevalence:</b>	n = 9622
(any use in the past 30 days among the whole population)	4.5% (± 0.8%)

<b>Have you ever tried smoking tobacco in a pipe?</b>	n = 5796
Yes	34.1% (± 2.0%)
No	65.9 (± 2.0)

***Among those who ever smoked a pipe:***

<b>On how many of the past 30 days did you smoke tobacco in a pipe?</b>	n = 1902
Zero	96.0% (± 1.5%)
Less than 30	3.1 (± 1.3)
30 days	0.9 (± 0.6)

<b>Current pipe smoking prevalence:</b>	n = 9622
(any use in the past 30 days among the whole population)	0.8% (± 0.3%)

<b>Have you ever tried smoking bidis (BEEDIES)?</b>	n = 5674
Yes	7.1% (± 1.2%)
No	92.9 (± 1.2)

<b>Current bidi smoking prevalence:</b>	n = 9622
(any use in the past 30 days among the whole population)	0.4% (± 0.3%)

<b>Have you ever tried smoking clove cigarettes?</b>	n = 5785
Yes	23.0% (± 1.8%)
No	77.0 (± 1.8)

***Among those who ever smoked cloves:***

<b>On how many of the past 30 days did you use clove cigarettes?</b>	n = 1073
Zero	95.4% (± 1.9%)
Less than 30	3.8 (± 1.7)
30 days	0.8 (± 0.9)

<b>Current clove cigarette smoking prevalence:</b>	n = 9622
(any use in the past 30 days among the whole population)	0.6% (± 0.3%)

<b>Current tobacco use prevalence:</b>	n = 9622
(Currently smokes cigarettes, cigars, pipes, bidis, or cloves OR uses smokeless tobacco among the whole population)	24.0% (± 1.4%)

\* Estimates based on sample sizes less than 75 omitted

***Among current tobacco users:***

**About how much do you usually spend on tobacco products every week? IF NEEDED On average, in a typical week**

n = 2064

Less than \$5	22.4%	(± 3.1%)
\$5-9	10.5	(± 2.0)
\$10-14	13.4	(± 2.3)
\$15-24	20.6	(± 2.6)
\$25-34	19.2	(± 2.7)
\$35-44	7.9	(± 2.1)
\$45 or more	6.0	(± 1.9)

***Among current tobacco users:***

**In the past month, did you buy tobacco on a Native American reservation?**

n = 2156

Yes	13.8%	(± 2.3%)
No	86.2	(± 2.3)

***Among current and former tobacco users:***

**Do you agree or disagree with the following statement: People close to me are/were upset by my using tobacco. Do you. . .**

n = 4584

Strongly agree	33.7%	(± 2.2%)
Somewhat agree	27.1	(± 2.1)
Somewhat disagree	18.8	(± 1.9)
Or strongly disagree	20.5	(± 1.9)

***Among current tobacco users:***

**Have any of the following health care professionals ever advised you to quit using tobacco. . .**

n = 2157

Doctor	64.0%	(± 3.4%)
Dentist	7.3	(± 1.8)
Nurse	1.0	(± 0.6)
None/No other health professional	27.7	(± 3.2)

***Among current smokers who were ever advised:***

**When was the last time a health care professional advised you to quit using tobacco?**

n = 1562

Within the past year (1-12 months)	66.9%	(± 3.8%)
Within the past three years (1-3 years)	19.3	(± 3.3)
Or 3 or more years ago	13.7	(± 2.8)

***Among current tobacco users:***

**Would you like to quit using tobacco?**

n = 2007

Yes	76.8%	(± 3.0%)
No	23.2	(± 3.0)

***Among current tobacco users:***

**Are you seriously considering quitting tobacco use within the next 6 months?**

n = 2006

Yes	64.0%	(± 3.4%)
No	36.0	(± 3.4)

\* Estimates based on sample sizes less than 75 omitted

***Among current tobacco users wanting to quit within the next 6 months:***

**Are you planning to stop within the next 30 days?**

n = 1092

Yes	48.7%	(± 4.9%)
No	51.3	(± 4.9)

***Among current tobacco users:***

**Readiness to quit, from the "Stages of Change" model**

n = 1789

Precontemplative	42.3%	(± 3.7%)
Contemplative	29.2	(± 3.4)
Preparation	28.5	(± 3.5)

***Among those who are employed for wages (excluding self-employed):***

**Within the past year, has your employer offered any stop-smoking programs or other programs to help employees who want to quit using tobacco?**

n = 1182

Yes	14.6%	(± 3.3%)
No	85.4	(± 3.3)

***Among tobacco users with health care:***

**Does your health insurance coverage pay for the cost of any help to quit using tobacco, such as a stop-smoking program or nicotine patches, pills, or other medications?**

n = 1717

Yes	25.5%	(± 3.6%)
No	40.0	(± 3.7)
Don't Know/Not sure	34.5	(± 3.6)

***Among tobacco users who have ever quit:***

**How many times in your life have you seriously tried to quit using tobacco?**

n = 2089

0	17.4%	(± 2.7%)
1-2	40.7	(± 3.5)
3-5	28.8	(± 3.2)
6 or more	13.1	(± 2.2)

***Among all tobacco users:***

**During the past year, have you not used tobacco for 1 day or longer because you were seriously trying to quit?**

n = 2151

Yes	50.0%	(± 3.5%)
No	50.0	(± 3.5)

***Among former tobacco users:***

**About how long has it been since you last used tobacco regularly, that is, daily?**

n = 2632

Within the past year (0-12 months ago)	8.2%	(± 1.5%)
Within the past 5 years (1-5 years ago)	16.3	(± 2.3)
Within the past 15 years (5-15 years ago)	24.7	(± 2.6)
Or 15 or more years ago	49.0	(± 3.1)
Never used regularly	1.8	(± 0.9)

\* Estimates based on sample sizes less than 75 omitted

***Among former smokers:***

**When you last smoked cigarettes regularly, on average how many cigarettes did you smoke per day? NOTE: 1 PACK = 20 CIGARETTES**

n = 2530  
average: 19.6 (± 0.9)

***Among former tobacco users:***

**When you quit using tobacco for the last time, did you use the nicotine patch, nicotine gum, or any other medication to help you quit?**

n = 2629  
Yes 9.3% (± 1.7%)  
No 90.7 (± 1.7)

***Among current users who tried to quit:***

**When you last tried to quit using tobacco, did you use the nicotine patch, nicotine gum, or any other medication to help you quit?**

n = 1025  
Yes 28.7% (± 4.3%)  
No 71.3 (± 4.3)

***Among former tobacco users:***

**When you quit using tobacco, did you use any other assistance, such as classes or counseling, hypnosis, or acupuncture?**

n = 2626  
Yes 4.9% (± 1.3%)  
No 95.1 (± 1.3)

***Among current users who tried to quit:***

**When you last tried to quit using tobacco, did you use any other assistance, such as classes or counseling, hypnosis, or acupuncture?**

n = 1025  
Yes 5.5% (± 1.8%)  
No 94.5 (± 1.8)

***Among former tobacco users:***

**Did any of the following health care professionals ever advise you to quit using tobacco. . .**

n = 2577  
Doctor 39.1% (± 2.9%)  
Dentist 1.5 (± 0.7)  
Nurse 0.7 (± 0.5)  
Or other health care provider 0.5 (± 0.4)  
None/No other health professional 58.2 (± 3.0)

***Among former tobacco users who were advised:***

**When was the last time a health care professional advised you to quit using tobacco?**

n = 1562  
Within the past year (1-12 months) 7.8% (± 2.0%)  
Within the past three years (1-3 years) 12.0 (± 3.3)  
Or 3 or more years ago 80.2 (± 3.6)

\* Estimates based on sample sizes less than 75 omitted

***Among those who are employed for wages (excluding self-employed):***

**Within the past year, has your employer offered any stop-smoking programs or other programs to help employees who want to quit using tobacco?**

	n = 903	
Yes	24.7%	(± 4.4%)
No	75.3	(± 4.4)

***Among former tobacco users with health insurance:***

**Does your health insurance coverage pay for the cost of any help to quit using tobacco, such as a stop-smoking program or nicotine patches, pills, or other medications?**

	n = 2398	
Yes	17.8%	(± 2.5%)
No	29.2	(± 2.8)
Don't know/Not sure	52.9	(± 3.2)

***Among former tobacco users:***

**How many times in your life did you seriously try to quit using tobacco, including when you were successful?**

	n = 2532	
average:	4.1	(± 0.5)

**Next I have some questions about you. Remember that your responses are confidential. What is your age?**

	n = 9622	
18-29	20.7%	(± 1.4%)
30-49	42.1	(± 1.6)
50+	37.2	(± 1.5)

**What is your race or ethnicity? Would you say. . .(First answer)**

	n = 9521	
White	89.4%	(± 1.1%)
Black	1.9	(± 0.5)
Asian, Pacific Islander	3.9	(± 0.8)
American Indian, Alaska Native	1.6	(± 0.4)
Hispanic, Latino	2.6	(± 0.5)
Or something else (SPECIFY:)	0.7	(± 0.3)

**Are you. . .**

	n = 9589	
Married	60.0%	(± 1.6%)
Divorced	11.3	(± 0.9)
Widowed	5.8	(± 0.6)
Separated	1.4	(± 0.4)
Never been married	17.7	(± 1.3)
Or a member of unmarried couple	3.8	(± 0.6)

**How many children under the age of 18 live in your household?**

	n = 9610	
None	62.3%	(± 1.6%)
1	15.0	(± 1.1)
2	15.2	(± 1.2)
3 or more	7.4	(± 0.8)

\* Estimates based on sample sizes less than 75 omitted

**What is the highest grade or year of school you completed?**

n = 9601

Some high school or less	7.9%	(± 0.9%)
Grade 12 (high school graduate or GED)	25.6	(± 1.4)
College 1-3 years (some college, technical school, community college AA)	33.7	(± 1.5)
College graduate (4 years) or beyond college	32.7	(± 1.5)

**Among those who are employed for wages (excluding self-employed):****How many people are employed where you work? IF NEEDED: Facilities that share your same street address**

n = 4624

Less than 5	8.9%	(± 1.2%)
Between 5 and 9	6.9	(± 1.1)
Between 10 and 19	8.4	(± 1.1)
Between 20 and 99	28.0	(± 2.0)
Or 100 or more	47.9	(± 2.2)

**Among those who are employed for wages (excluding self-employed):****When you are at work, do you spend most of your time in an. . .**

n = 4752

Office	59.3%	(± 2.2%)
Store	6.6	(± 1.1)
Restaurant	3.7	(± 0.8)
Warehouse or factory	9.7	(± 1.4)
Home	2.3	(± 0.6)
Outdoors	9.9	(± 1.3)
Car or truck	4.0	(± 0.9)
Or somewhere else (SPECIFY:)	4.6	(± 0.9)

**Annual household income from all sources... IF NEEDED: Annual household income before taxes.**

n = 8336

\$20,000 or less	13.5%	(± 1.1%)
\$20,000 to less than \$50,000	46.6	(± 1.7)
\$75,000 or more	39.9	(± 1.7)

**Are you currently registered to vote?**

n = 9569

Yes	84.9%	(± 1.2%)
No	15.1	(± 1.2)

**Gender**

n = 9622

Male	49.3%	(± 1.6%)
Female	50.7	(± 1.6)

**The next questions are about secondhand smoke. Secondhand smoke is smoke from someone else's cigarette, cigar or pipe. In general, would you say that breathing secondhand smoke is. . .**

n = 9519

Not at all annoying to you	12.8%	(± 1.1%)
Somewhat annoying to you	27.1	(± 1.5)
Or very annoying to you	60.1	(± 1.6)

\* Estimates based on sample sizes less than 75 omitted

**Would you say that breathing secondhand smoke is. . .**

n = 9118

Very harmful	63.6%	(± 1.6%)
Somewhat harmful	30.8	(± 1.5)
Not very harmful	4.0	(± 0.7)
Or not harmful at all	1.6	(± 0.4)

**Do you agree or disagree with the following statement: All people should be protected from secondhand smoke. Do you. . .**

n = 9215

Strongly agree	58.8%	(± 1.6%)
Somewhat agree	26.1	(± 1.5)
Somewhat disagree	8.4	(± 0.9)
Or strongly disagree	6.6	(± 0.8)

**What about this statement: ALL CHILDREN should be protected from secondhand smoke. Do you. . .**

n = 9418

Strongly agree	83.4%	(± 1.2%)
Somewhat agree	10.9	(± 1.0)
Somewhat disagree	3.3	(± 0.6)
Or strongly disagree	2.4	(± 0.5)

**Here is another statement: A pregnant woman could hurt her baby if she smokes. Do you. . .**

n = 9147

Strongly agree	86.0%	(± 1.1%)
Somewhat agree	10.8	(± 1.0)
Somewhat disagree	2.1	(± 0.4)
Or strongly disagree	1.2	(± 0.3)

**Which one of the following statements best describes the rules about smoking in your home. . .**

n = 9526

No one is allowed to smoke anywhere inside your home	79.3%	(± 1.3%)
Smoking is allowed in some places at some times	12.2	(± 1.1)
Or smoking is permitted anywhere inside your home	8.5	(± 0.9)

**Is there anyone, besides you, living in your household who smokes cigarettes, cigars, or pipes?**

n = 9611

Yes	20.5%	(± 1.4%)
No	79.5	(± 1.4)

**On how many of the past 30 days has someone, including you, smoked cigarettes, cigars, or pipes anywhere inside your home?**

n = 9555

0 days	84.3%	(± 1.2%)
1-29 days	6.2	(± 0.7)
30 days	9.5	(± 1.0)

\* Estimates based on sample sizes less than 75 omitted

<b>If it were just up to you, would you let people smoke inside your home?</b>			n = 9502
Yes	14.4%	(± 1.1%)	
No	85.6	(± 1.1)	

***Among those who are employed for wages (excluding self-employed):***

**The next questions are about secondhand smoke in your work place. Does your workplace have official rules that restrict smoking in any way?**

			n = 4696
Yes	88.6%	(± 1.4%)	
No	11.4	(± 1.4)	

***Among those employed where there are smoking rules:***

**Which of the following best describes your employer's smoking rules?**

			n = 4066
Not allowed anywhere	51.2%	(± 2.3%)	
Not allowed in indoor areas, but allowed in some public or common areas, such as luchrooms, or employee lounges	46.3	(± 2.3)	
Or allowed in some or all indoor areas	2.5	(± 0.7)	

***Among those who are employed for wages (excluding self-employed):***

**In a typical week, about how many hours would you say you are in a room with cigarette smoke while at work including your own smoking if you smoke, and including a car, if you work from your car.**

			n = 4739
Less than one hour	89.1%	(± 1.4%)	
1-10 hours	6.8	(± 1.1)	
More than 10 hours	4.0	(± 1.0)	

***Among current smokers who are employed for wages (excluding self-employed):***

**On the days you smoke, how many cigarettes per day on average do you smoke at work?**

			n = 1061
average:	5.5	(± 0.5)	

**These next questions ask your opinion on smoking in restaurants and bars. Do you think that smoking should be completely banned in restaurants?**

			n = 9607
Yes	60.1%	(± 1.6%)	
No	37.1	(± 1.6)	
Don't know/Not sure	2.8	(± 0.5)	

**If there were a total ban on smoking in restaurants, do you think you would eat out more often, less often, or would it make no difference?**

			n = 9523
More often	17.2%	(± 1.2%)	
Less often	6.2	(± 0.8)	
Make no difference	76.6	(± 1.3)	

**Do you think that smoking should be completely banned in bars and lounges?**

			n = 9596
Yes	26.3%	(± 1.4%)	
No	63.9	(± 1.5)	
Don't know/Not sure	9.9	(± 0.8)	

\* Estimates based on sample sizes less than 75 omitted

**If there were a total ban on smoking in bars, do you think you would go to bars more often, less often, or would it make no difference?**

n = 9425

More often	14.2%	(± 1.2%)
Less often	9.2	(± 0.9)
Make no difference	76.7	(± 1.4)

**Among never smokers, 18-29 years old:**

**Do you think you might try a cigarette soon?**

n = 922

Yes	2.3%	(± 1.3%)
No	97.7	(± 1.3)

**Among never smokeless tobacco users, 18-29 years old:**

**Do you think you might try smokeless tobacco soon?**

n = 1107

Yes	1.2%	(± 0.8%)
No	98.8	(± 0.8)

**Among current tobacco users:**

**Do you think you will be smoking cigarettes 5 years from now?**

n = 1495

Yes	5.5%	(± 1.7%)
No	94.5	(± 1.7)

**Among current tobacco users:**

**Do you think you will be using smokeless tobacco 5 years from now?**

n = 1524

Yes	1.9%	(± 0.9%)
No	98.1	(± 0.9)

**Do you agree or disagree with this statement: Laws banning possession of tobacco products by minors (children under 18) have been enforced. Do you. . .**

n = 9600

Strongly agree	17.8%	(± 1.2%)
Somewhat agree	25.9	(± 1.4)
Somewhat disagree	19.9	(± 1.3)
Or strongly disagree	29.7	(± 1.4)
Don't know/Not sure	6.7	(± 0.8)

**Here is another statement: The city or town where I live has enough rules and laws to protect nonsmokers from secondhand tobacco smoking. Do you. . .**

n = 9601

Strongly agree	23.9%	(± 1.4%)
Somewhat agree	34.5	(± 1.5)
Somewhat disagree	14.8	(± 1.2)
Or strongly disagree	14.3	(± 1.1)
Don't know/Not sure	12.4	(± 1.0)

\* Estimates based on sample sizes less than 75 omitted

**Generally speaking, how often do you see young people -- those under age 18 smoking in your community? Would you say daily, or less often?**

n = 9142

Daily or almost daily	58.2%	(± 1.6%)
Couple of times per week	19.8	(± 1.3)
2-4 times per month	11.5	(± 1.1)
Once a month or less	7.1	(± 0.8)
Never	3.3	(± 0.6)

**Do you agree or disagree with this statement: Schools in my community are doing enough to prevent youth from using tobacco and helping them quit. Do you. . .**

n = 9595

Strongly agree	15.2%	(± 1.1%)
Somewhat agree	21.0	(± 1.3)
Somewhat disagree	15.7	(± 1.2)
Or strongly disagree	20.1	(± 1.3)
Don't know/Not sure	28.0	(± 1.4)

**During the past year, did you, yourself, ever buy or give someone under the age of 18 tobacco products including cigarettes, smokeless tobacco, or cigars?**

n = 9601

Yes	2.4%	(± 0.5%)
No	97.6	(± 0.5)

**Here is another statement: There are so many things that cause cancer, tobacco use is not going to make any difference. Do you. . .**

n = 9304

Strongly agree	6.5%	(± 0.8%)
Somewhat agree	7.4	(± 0.8)
Somewhat disagree	10.9	(± 1.1)
Or strongly disagree	75.2	(± 1.5)

**How do you feel about this statement: Tobacco companies should have the same rights to advertise their products as other companies. Do you. . .**

n = 9136

Strongly agree	18.8%	(± 1.3%)
Somewhat agree	21.2	(± 1.3)
Somewhat disagree	14.3	(± 1.1)
Or strongly disagree	45.8	(± 1.6)

**Some tobacco companies make promotional items like clothing, hats, bags or other things with their brand on it. Would you ever use or wear something that has a tobacco company logo or picture on it?**

n = 9417

Yes	19.7%	(± 1.3%)
No	80.3	(± 1.3)

***Among those who would use or wear promotional items:***

**Do you currently have a piece of clothing, or other item that has a tobacco brand or logo on it?**

n = 1966

Yes	49.1%	(± 3.7%)
No	50.9	(± 3.7)

\* Estimates based on sample sizes less than 75 omitted

**How did you obtain the most recent promotional item that you have? (First answer)**

n = 896

Fair, festival or event	5.1%	(± 1.8%)
Promotional gift or prize	26.3	(± 4.6)
Coupons/Mail-order	27.1	(± 5.0)
Found	1.7	(± 1.4)
Part of cigarette purchase	11.4	(± 3.5)
Gift from friend or relative (____ gave it to me)	18.2	(± 4.3)
Bought it (yard sale, second hand store, etc.)	7.9	(± 2.7)
Or some other way (SPECIFY:)	2.5	(± 1.5)

**During the past year, have you received a free sample or coupon for a free sample of cigarettes or other tobacco products?**

n = 9463

Yes	15.7%	(± 1.2%)
No	84.3	(± 1.2)

**How did you obtain the most recent free coupon or sample that you have? (first answer)**

n = 1385

Fair, festival or event	5.1%	(± 1.7%)
Promotional gift or prize (not requested by me - magazine, mail, bar, etc.)	53.5	(± 3.9)
Coupon or mail order that I sent in or called for	33.8	(± 3.4)
Part of cigarette purchase	6.0	(± 2.0)
From a friend / relative	1.2	(± 0.9)
Or some other way (SPECIFY:)	0.4	(± 0.3)

**Some communities have organizations that specifically work on tobacco prevention activities. To your knowledge, has there been a local anti-tobacco or anti-smoking organization working in your community over the past few years?**

n = 9614

Yes	13.6%	(± 1.1%)
No	63.6	(± 1.5)
Don't know/not sure	22.8	(± 1.3)

***Among households with children 10-17 years of age:***

**Thinking about the rules you have in your household, which of the following statements best describes the "ground rules" in your family about tobacco use. . .**

n = 1916

Tobacco use is not tolerated in our family	66.3%	(± 3.3%)
Tobacco is OK for me or other adults, but not for the child	27.2	(± 3.1)
The child can use tobacco in the house	0.2	(± 0.3)
The child can use tobacco outside the house only	1.7	(± 0.9)
Or we have no "ground rules" about tobacco in our family	3.8	(± 1.2)
Don't know/Not sure	0.7	(± 0.6)

\* Estimates based on sample sizes less than 75 omitted

***Among households with children 10-17 years of age:***

**Which of the following best describes the way you told the child about the "ground rules" regarding tobacco use. . .**

n = 1911

The child and I have specifically talked about the rules	67.1%	(± 3.3%)
The child knows how I feel about tobacco use, but I don't remember a specific conversation	26.3	(± 3.1)
Or the child is too young, we will discuss it when (he)/(she) is older	2.7	(± 1.1)
Don't know/not sure	3.9	(± 1.4)

***Among households with children 10-17 years of age:***

**Which of the following best describes the way you have discussed the dangers of tobacco use with your child.**

n = 1830

The child and I have specifically talked about the dangers of tobacco use	84.8%	(± 2.5%)
I don't remember a specific conversation	15.2	(± 2.5)

***Among households with children 10-17 years of age:***

**Have you told your child specifically that you do not want him or her to use tobacco?**

n = 1878

Yes	89.2%	(± 2.2%)
No	10.8	(± 2.2)

***Among households with children 10-17 years of age:***

**To the best of your knowledge, has your child ever used or tried tobacco products?**

n = 1911

Yes	14.5%	(± 2.2%)
No	82.6	(± 2.5)
Don't know/not sure	3.0	(± 1.2)

\* Estimates based on sample sizes less than 75 omitted